PRO MAGIC Tale+

Wickey PRO
long lasting, affordable fun

Productdetails

SKU	1000014
User	max. 13
Age group	3-12 years
Inclusive	yes
Material	Impregnated solid wood, 19 mm thick plates of two-coloured HDPE
Warranty	10-year warranty[3] on all wooden, stainless steel and HDPE parts
Standard	Quality and safety tested in accordance with EN-1176
Play values / activities	

With more than 20 years of experience in the development, production and sale of high-quality climbing frames, Wickey is a leading company in Europe. This is why Wickey knows precisely what the customer is looking for and is able to offer the best cost-benefit ratio. Our professional climbing frames are not only characterised by optimal safety, but also by adventurous and innovative features. We aim to improve the fitness, motor abilities and social skills of children and encourage their imagination and creativity with our products.

[2]You can find all the details of our guarantee in the webshop in the footer under “Guarantee Policy”.

Best value for money | Maximum safety | Designed in Germany | Many years of experience

PRO MAGIC Tale+



Platform height(s)	Post thickness	LxWxH	Max. falling height	Assembly Time (2 people)
120 cm	9x9 cm	240x317x268 cm	120 cm	1 day

Dimensions and colours may differ slightly from those stated.

Best value for money · Maximum safety · Designed in Germany · Many years of experience

Impregnated solid wood

We use impregnated pine wood for our playground equipment, most of which comes from native forests in south-eastern Germany. Our wood is pressure-impregnated in accordance with Use Class 3 and in some cases Use Class 4 (in accordance with EN 335). Wickey PRO wood thus offers exceptional durability outdoors.

HDPE elements

Our coloured HDPE elements are made from 19 mm thick sheets that consist of 80% recycled material.

Selection of slides

A large selection of colours and three different material variants are available for the slides.

- HDPE 6 mm Rotomould
- HDPE 19 mm sheets
- Stainless steel (SS304)

Metal elements

All metal parts are made of high-quality stainless steel. We also offer a coloured, powder-coated metal variant for some components.

Net material

The net material consists of particularly robust, reinforced 16 mm ropes with an internal steel wire core that ensures maximum stability. The hard-wearing polypropylene sheathing ensures a long service life and reliable protection against the weather.

Anchorage

For anchorage, we use angle irons made of 5 mm thick, hot-dip galvanised steel. These ensure particularly stable and durable attachment in the ground. The anchors are specially designed for setting in concrete and are characterised by high weather resistance.

Best value for money · Maximum safety · Designed in Germany · Many years of experience